

To: CN=Steve Vandegrift/OU=ADA/O=USEPA/C=US@EPA[]
Cc: CN=Holly Ferguson/OU=CI/O=USEPA/C=US@EPA[]
From: CN=Rick Wilkin/OU=ADA/O=USEPA/C=US
Sent: Mon 8/13/2012 9:02:03 PM
Subject: Re: Pavillion Phase V ADQ on CLP data

Spreadsheet updated. It is on the L:\ drive (v2.3 8-13-1012).

=====
Richard T. Wilkin, Ph.D.
Geochemist
U.S. Environmental Protection Agency
National Risk Management Research Laboratory
919 Kerr Research Drive
Ada, OK 74820

off: 580-436-8874
wilkin.rick@epa.gov
www.epa.gov/ada/

From: Steve Vandegrift/ADA/USEPA/US
To: Rick Wilkin/ADA/USEPA/US@EPA
Cc: Holly Ferguson/CI/USEPA/US@EPA
Date: 08/13/2012 10:36 AM
Subject: Pavillion Phase V ADQ on CLP data

Rick-

Holly and I are wrapping up the ADQ on the Phase V CLP data. The only item identified is that the lab needs to reissue the duplicate results with corrected Control Limits. Holly has been in contact with appropriate persons to get this done.

Once you have updated your spreadsheet per the email Holly sent on Aug. 7, please send it to us so we can finish the ADQ.

Thanks,

Steve Vandegrift, QA Manager
Ground Water and Ecosystems Restoration Division
NRMRL/ORD/USEPA
P.O. Box 1198
919 Kerr Research Dr.
Ada, OK 74820
(580)436-8684 (voice)
(580)436-8528 (fax)
vandegrift.steve@epa.gov